

S16	55	S14 and (measur\$4 with resistance)	US-PGPUB; USPAT	OR	ON	2005/06/03 15:59
S17	0	S16 and (bar adj clamp)	US-PGPUB; USPAT	OR	ON	2005/06/03 15:59
S18	0	S14 and (bar adj clamp)	US-PGPUB; USPAT	OR	ON	2005/06/03 15:59
S19	7	S16 and (clamp)	US-PGPUB; USPAT	OR	ON	2005/06/03 16:00
S20	5	(measur\$4 with resistance)and (bar adj clamp)	US-PGPUB; USPAT	OR	ON	2005/06/10 13:51
S21	2	((("5589778") or ("5629619")).PN.	US-PGPUB; USPAT	OR	OFF	2005/06/03 16:31
S22	1	("20040201376").PN.	US-PGPUB; USPAT	OR	OFF	2005/06/03 16:31
S23	0	S22 and magnetic	US-PGPUB; USPAT	OR	OFF	2005/06/03 16:31
S24	0	S22 and magnet\$9	US-PGPUB; USPAT	OR	OFF	2005/06/03 16:35
S25	1	S22 and coil	US-PGPUB; USPAT	OR	OFF	2005/06/03 16:35
S26	1690	(ohm adj2 meter\$3)	US-PGPUB; USPAT	OR	ON	2005/06/10 13:49
S27	3449	((resistance ohm) adj2 meter\$3)	US-PGPUB; USPAT	OR	ON	2005/06/10 13:49
S28	170	(324/724).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/10 13:49
S29	5	(measur\$4 with resistance)and (bar adj clamp)	US-PGPUB; USPAT	OR	ON	2005/06/10 13:51
S30	0	S27 and (bar adj clamp)	US-PGPUB; USPAT	OR	ON	2005/06/10 13:51
S31	263	S27 and clamp	US-PGPUB; USPAT	OR	ON	2005/06/10 15:02
S32	19	S27 and (clamp with probe)	US-PGPUB; USPAT	OR	ON	2005/06/10 13:52
S33	7	(US-4963830-\$ or US-5126680-\$ or US-6091237-\$ or US-D425438-\$ or US-5714679-\$ or US-5600255-\$ or US-3840808-\$).did.	USPAT	OR	OFF	2005/06/10 14:00
S34	120970	(73/(\$\$).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/10 14:54
S35	15	S34 and (bar adj clamp)	US-PGPUB; USPAT	OR	OFF	2005/06/10 14:54
S36	23	S34 and (bar adj clamp)	US-PGPUB; USPAT	OR	ON	2005/06/10 15:02

S37	2382	(324/126,127,129,72.5).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:15
S38	275	S37 and clamp	US-PGPUB; USPAT	OR	ON	2005/06/10 15:15
S39	144	S38 and (measur\$4 near4 (voltage current resistance))	US-PGPUB; USPAT	OR	ON	2005/06/10 15:15
S40	0	S38 and (bar adj clamp)	US-PGPUB; USPAT	OR	ON	2005/06/10 15:15
S41	3879	(324/72,156,754).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/10 15:15
S42	366	S41 and clamp	US-PGPUB; USPAT	OR	ON	2005/06/10 15:15
S43	0	S42 and (bar adj clamp)	US-PGPUB; USPAT	OR	ON	2005/06/10 15:15
S44	1921	(bar adj clamp)	US-PGPUB; USPAT	OR	ON	2005/06/10 15:15
S45	19	S44 and (measur\$4 near4 (voltage current resistance))	US-PGPUB; USPAT	OR	ON	2005/06/10 15:15

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	((("5023561") or ("6242930") or ("4179652") or ("3840808") or ("4227149") or ("3551807")).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:14
L2	170	(324/724).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:14
L3	2492	(324/754).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:14
L4	482	3 and clamp\$3 \	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:15
L5	482	3 and clamp\$3	US-PGPUB; USPAT	OR	OFF	2005/07/13 16:16
L6	81	5 and (measur\$4 with (resistance voltage current))	US-PGPUB; USPAT	OR	ON	2005/07/13 16:17
L7	0	5 and (bar adj clamp)	US-PGPUB; USPAT	OR	ON	2005/07/13 16:17
L8	0	3 and (bar adj clamp)	US-PGPUB; USPAT	OR	ON	2005/07/13 16:17
L9	226471	(measur\$4 with (resistance voltage current))	US-PGPUB; USPAT	OR	ON	2005/07/13 16:19
L10	1930	(bar adj clamp)	US-PGPUB; USPAT	OR	ON	2005/07/13 16:17
L11	30	9 and 10	US-PGPUB; USPAT	OR	ON	2005/07/13 16:17
L12	30	(measur\$4 with (resistance voltage current))and (bar adj clamp)	US-PGPUB; USPAT	OR	ON	2005/07/13 16:19
L13	36	(measur\$4 with (resistance voltage current))and (bar adj clamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:19
S1	3	((("5126680") or ("6091237") or ("D425438")).PN.	US-PGPUB; USPAT	OR	OFF	2005/06/03 16:27
S2	1	S1 and (measur\$4 with resistance)	US-PGPUB; USPAT	OR	ON	2005/06/03 14:52
S3	1690	(ohm adj2 meter\$3)	US-PGPUB; USPAT	OR	ON	2005/06/10 13:49
S4	3440	((resistance ohm) adj2 meter\$3)	US-PGPUB; USPAT	OR	ON	2005/06/10 14:54
S14	170	(324/724).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/10 13:49
S15	55	S14 and (measur\$4 with resistance)	US-PGPUB; USPAT	OR	OFF	2005/06/03 15:59